

## **Product datasheet for TA367284**

## Silencer of Death Domain (BAG4) Rabbit Polyclonal Antibody

## **Product data:**

**Product Type:** Primary Antibodies

Applications: WB

Recommended Dilution: WB: 200-1000

WB positive control: Human normal stomach tissue

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human BAG4

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 50 kDa

**Gene Name:** BCL2 associated athanogene 4

Database Link: Entrez Gene 9530 Human

095429

**Background:** The protein encoded by this gene is a member of the BAG1-related protein family. BAG1 is an

anti-apoptotic protein that functions through interactions with a variety of cell apoptosis and growth related proteins including BCL-2, Raf-protein kinase, steroid hormone receptors, growth factor receptors and members of the heat shock protein 70 kDa family. This protein contains a BAG domain near the C-terminus, which could bind and inhibit the chaperone activity of Hsc70/Hsp70. This protein was found to be associated with the death domain of tumor necrosis factor receptor type 1 (TNF-R1) and death receptor-3 (DR3), and thereby

negatively regulates downstream cell death signaling.

Synonyms: BAG-4; SODD




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Gel: 8%SDS-PAGE Lysate: 60 µg Lane: Human normal stomach tissue Primary antibody: TA367284 (BAG4 Antibody) at dilution 1/200 Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution Exposure time: 7 minutes