

Product datasheet for TA367358S

UTS2D (UTS2B) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Lovo cells and Human liver cancer tissue

IHC: 25-100

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human UTS2B

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 14 kDa

Gene Name: urotensin 2B

Database Link: Entrez Gene 257313 Human

Q76510

Background: Potent vasoconstrictor. Human Urotensin II is composed of only 11 amino acid residues, while

fish and frog Urotensin II possess 12 and 13 amino acid residues, respectively (2). Human Urotensin II is found within both vascular and cardiac tissue, including coronary atheroma, and effectively constricts isolated arteries from nonhuman primates (3). Urotensin II may act as an autocrine and/or paracrine hormone rather than as a circulating hormone, by playing an important role in the development of ventricular hypertrophy induced by chronic hypoxia

(4).



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms: U2B; URP; UTS2D

Product images:






Gel: 12%SDS-PAGE
Lysate: 40 µg
Lane 1-2: Lovo cells
Human liver cancer tissue
Primary antibody: [TA367358] (UTS2B Antibody)
at dilution 1/200
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 2 minutes

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA367358] (UTS2B Antibody) at dilution 1/25 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA367358] (UTS2B Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)