

Product datasheet for TA367425

Calretinin (CALB2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: 293T cell

IHC: 10-50

Positive control: Human colorectal cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human CALB2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 32 kDa
Gene Name: calbindin 2

Database Link: Entrez Gene 794 Human

P22676

Background: This gene encodes an intracellular calcium-binding protein belonging to the troponin C

superfamily. Members of this protein family have six EF-hand domains which bind calcium. This protein plays a role in diverse cellular functions, including message targeting and intracellular calcium buffering. It also functions as a modulator of neuronal excitability, and is a diagnostic marker for some human diseases, including Hirschsprung disease and some

cancers. Alternative splicing results in multiple transcript variants.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms: CAB29; CAL2; calretinin; CR

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg Lane: 293T cell


Primary antibody: TA367425 (CALB2 Antibody) at

dilution 1/300

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 40 seconds



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA367425 (CALB2 Antibody) at dilution 1/20 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA367425 (CALB2 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)