

# **Product datasheet for TA367486S**

## Cyclin T2 (CCNT2) Rabbit Polyclonal Antibody

### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Jurkat Hela and 293T cell

IHC: 25-100

Positive control: Human gastric cancer

Predicted cell location: Nucleus and Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human CCNT2

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 81 kDa
Gene Name: cyclin T2

Database Link: Entrez Gene 905 Human

O60583

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn






#### Background:

The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance through the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin and its kinase partner CDK9 were found to be subunits of the transcription elongation factor p-TEFb. The p-TEFb complex containing this cyclin was reported to interact with, and act as a negative regulator of human immunodeficiency virus type 1 (HIV-1) Tat protein.

Synonyms:

CycT2; FLJ90560; MGC134840

### **Product images:**



Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-3: Jurkat Hela and 293T cell


Primary antibody: [TA367486] (CCNT2 Antibody)

at dilution 1/250

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA367486] (CCNT2 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA367486] (CCNT2 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA367486] (CCNT2 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA367486] (CCNT2 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)