

# **Product datasheet for TA367590S**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### **GSK3** alpha (**GSK3A**) Rabbit Polyclonal Antibody

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human cerebella tissue, Human cerebrum tissue lysates

IHC: 50-200

Positive control: Human liver cancer

Predicted cell location: Cytoplasm and Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human GSK3A

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 51 kDa

**Gene Name:** glycogen synthase kinase 3 alpha

Database Link: Entrez Gene 2931 Human

P49840

**Background:** This gene encodes a multifunctional Ser/Thr protein kinase that is implicated in the control of

several regulatory proteins including glycogen synthase, and transcription factors, such as JUN. It also plays a role in the WNT and PI3K signaling pathways, as well as regulates the


production of beta-amyloid peptides associated with Alzheimer's disease.

**Synonyms:** DKFZp686D0638; OTTHUMP00000198368






# **Product images:**




Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-2: Human cerebella tissue Human cerebrum tissue lysates Primary antibody: [TA367590] (GSK3A Antibody) at dilution 1/1000 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA367590] (GSK3A Antibody) at dilution 1/45 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA367590] (GSK3A Antibody) at dilution 1/45, treated with synthetic peptide. (Original magnification: ×200)