

## **Product datasheet for TA367612S**

# **BRI3BP Rabbit Polyclonal Antibody**

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: RAW264.7 and K562 cell

IHC: 30-150

Positive control: Human cervical cancer Predicted cell location: Cell membrane

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human BRI3BP

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 28 kDa

**Gene Name:** BRI3 binding protein

Database Link: Entrez Gene 140707 Human

Q8WY22

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn






Background:

BRI3BP (BRI3 binding protein), also known as BNAS1, HCCR-1, I3-binding protein or cervical cancer 1 proto-oncogene-binding protein KG19, is a 251 amino acid multi-pass membrane protein. Though widely expressed, BRI3BP is found at highest levels in brain, kidney and liver where it localizes to the endoplasmic reticulum (ER) and is involved in ER structural dynamics and mitochondrial viability. Possessing pro-apoptotic properties and the ability to potentiate drug-induced apoptosis, BRI3BP overexpression has been shown to enhance caspase-3 and mitochondrial cytochrome c release in etoposide-treated human embryonic kidney 293T cells.

Synonyms:

BNAS1; HCCR-1; HCCR-2; KG19

### **Product images:**



Gel: 12%SDS-PAGE Lysate: 40 μg


Lane 1-2: RAW264.7 and K562 cell lysates Primary antibody: [TA367612] (BRI3BP Antibody)

at dilution 1/500

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 5 seconds




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA367612] (BRI3BP Antibody) at dilution 1/35 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA367612] (BRI3BP Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA367612] (BRI3BP Antibody) at dilution 1/35 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA367612] (BRI3BP Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)