

Product datasheet for TA367735S

Orexin (HCRT) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human colorectal cancer Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human HCRT

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: hypocretin (orexin) neuropeptide precursor

Database Link: Entrez Gene 3060 Human

O43612

Background: This gene encodes a hypothalamic neuropeptide precursor protein that gives rise to two

mature neuropeptides, orexin A and orexin B, by proteolytic processing. Orexin A and orexin B, which bind to orphan G-protein coupled receptors HCRTR1 and HCRTR2, function in the regulation of sleep and arousal. This neuropeptide arrangement may also play a role in

feeding behavior, metabolism, and homeostasis.

Synonyms: Hypocretin; NRCLP1; orexin; OX; PPORX; PPOX




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA367735] (HCRT Antibody) at dilution 1/25 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA367735] (HCRT Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA367735] (HCRT Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA367735] (HCRT Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)