

## **Product datasheet for TA367778**

## **MYL12B Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human urinary bladder tissue lysate

IHC: 30-150

Positive control: Human cervical cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human MYL12B

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 20 kDa

**Gene Name:** myosin light chain 12B

Database Link: Entrez Gene 103910 Human

<u>014950</u>



Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn






## Background:

MYL12B is a regulatory subunit of myosin and plays an important role in regulation of both smooth muscle and nonmuscle cell contractile activity via its phosphorylation. There are two groups of residues on the MYL12B that are phosphorylated by distinct kinases and have contrasting effects on myosin II biophysical properties. Phosphorylation at Thr18/Ser19 essentially "activates" the myosin molecule to produce force. The second group of phosphorylated residues is at the N-terminus of the MYL12B at Ser1, Ser2 and Thr9 and causes inhibitory effect on myosin activity.

Synonyms:

MLC-2; MLC-2A; MLC-B; MLC20; MRLC2; MYLC2B; OTTHUMP00000165808; SHUJUN-1

## **Product images:**



Gel: 12%SDS-PAGE Lysate: 40 μg


Lane: Human urinary bladder tissue lysate Primary antibody: TA367778 (MYL12B Antibody)

at dilution 1/250

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA367778 (MYL12B Antibody) at dilution 1/25 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA367778 (MYL12B Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA367778 (MYL12B Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA367778 (MYL12B Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)