

## **Product datasheet for TA367792S**

## **XYLT1 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela, Jurkat, A549 cell lysates

IHC: 50-100

Positive control: Human tonsil Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

**Clonality:** Polyclonal

Immunogen: Synthetic peptide of human XYLT1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 108 kDa

**Gene Name:** xylosyltransferase 1

Database Link: Entrez Gene 64131 Human

Q86Y38

**Background:** This locus encodes a xylosyltransferase enzyme. The encoded protein catalyzes transfer of

UDP-xylose to serine residues of an acceptor protein substrate. This transfer reaction is necessary for biosynthesis of glycosaminoglycan chains. Mutations in this gene have been

associated with increased severity of pseudoxanthoma elasticum.

Synonyms: PXYLT1; XT-I; XT1; XYIT-I; XYLTI




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Gel: 6%SDS-PAGE
Lysate: 40 µg
Lane 1-3: Hela
Jurkat
A549 cell lysates
Primary antibody: [TA367792] (XYLT1 Antibody) at
dilution 1/700
Secondary antibody: Goat anti rabbit IgG at
1/5000 dilution
Exposure time: 2 minutes



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA367792] (XYLT1 Antibody) at dilution 1/30 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA367792] (XYLT1 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)