

## Product datasheet for **TA367805**


### WIPI2 Rabbit Polyclonal Antibody

#### Product data:


Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: Human lung tissue and Human placenta tissue lysates IHC: 20-100 Positive control: Human liver cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human WIPI2
Formulation:	pH7.4 PBS, 0.05% NaN <sub>3</sub> , 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	49 kDa
Gene Name:	WD repeat domain, phosphoinositide interacting 2
Database Link:	<a href="#">Entrez Gene 26100 Human Q9Y4P8</a>
Background:	WD40 repeat proteins are key components of many essential biologic functions. They regulate the assembly of multiprotein complexes by presenting a beta-propeller platform for simultaneous and reversible protein-protein interactions. Members of the WIPI subfamily of WD40 repeat proteins, such as WIPI2, have a 7-bladed propeller structure and contain a conserved motif for interaction with phospholipids.
Synonyms:	Atg21; CGI-50; DKFZP434J154; DKFZp686P02188; FLJ12979; FLJ14217; FLJ42984; WIPI-2




[View online »](#)

**Product images:**


Gel: 8%SDS-PAGE  
Lysate: 40  $\mu$ g  
Lane 1-2: Human lung tissue and Human placenta tissue lysates  
Primary antibody: TA367805 (WIPI2 Antibody) at dilution 1/300  
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution  
Exposure time: 2 minutes




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA367805 (WIPI2 Antibody) at dilution 1/30 (Original magnification:  $\times$ 200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA367805 (WIPI2 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA367805 (WIPI2 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA367805 (WIPI2 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)