

Product datasheet for **TA367820S**

UBA52 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Mouse Pancreas tissue lysate IHC: 50-100 Positive control: Human liver cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human UBA52
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	15 kDa
Gene Name:	ubiquitin A-52 residue ribosomal protein fusion product 1
Database Link:	Entrez Gene 7311 Human P62987



[View online »](#)

Background:

Ubiquitin is a highly conserved nuclear and cytoplasmic protein that has a major role in targeting cellular proteins for degradation by the 26S proteasome. It is also involved in the maintenance of chromatin structure, the regulation of gene expression, and the stress response. Ubiquitin is synthesized as a precursor protein consisting of either polyubiquitin chains or a single ubiquitin moiety fused to an unrelated protein. This gene encodes a fusion protein consisting of ubiquitin at the N terminus and ribosomal protein L40 at the C terminus, a C-terminal extension protein (CEP). Multiple processed pseudogenes derived from this gene are present in the genome.

Synonyms:

CEP52; HUBCEP52; MGC57125; MGC126879; MGC126881; RPL40; UBA80; UBCEP1; UBCEP2; ubiquitin-CEP52

Product images:

kDa

95—

72—

55—

36—

28—

17—

10—




Gel: 12%SDS-PAGE


Lysate: 40 µg

Lane: Mouse Pancreas tissue lysate


Primary antibody: [TA367820] (UBA52 Antibody)
at dilution 1/400Secondary antibody: Goat anti rabbit IgG at
1/5000 dilution

Exposure time: 10 seconds


Immunohistochemistry of paraffin-embedded
Human liver cancer tissue using [TA367820]
(UBA52 Antibody) at dilution 1/50 (Original
magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA367820] (UBA52 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA367820] (UBA52 Antibody) at dilution 1/50 (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA367820] (UBA52 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: $\times 200$)