

Product datasheet for **TA367836**


UNC5A Rabbit Polyclonal Antibody

Product data:


| | |
|-------------------------|---|
| Product Type: | Primary Antibodies |
| Applications: | IHC, WB |
| Recommended Dilution: | WB: 200-1000 WB positive control: Human testis tissue lysate IHC: 25-100 Positive control: Human cervical cancer Predicted cell location: Cell membrane |
| Reactivity: | Human, Mouse, Rat |
| Host: | Rabbit |
| Isotype: | IgG |
| Clonality: | Polyclonal |
| Immunogen: | Synthetic peptide of human UNC5A |
| Formulation: | pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol |
| Concentration: | lot specific |
| Purification: | Antigen affinity purification |
| Conjugation: | Unconjugated |
| Storage: | Store at -20°C. |
| Stability: | 1 year |
| Predicted Protein Size: | 93 kDa |
| Gene Name: | unc-5 netrin receptor A |
| Database Link: | Entrez Gene 90249 Human Q6ZN44 |
| Background: | UNC5A belongs to a family of netrin-1 (MIM 601614) receptors thought to mediate the chemorepulsive effect of netrin-1 on specific axons. For more information on UNC5 proteins, see UNC5C (MIM 603610). |
| Synonyms: | FLJ16449; KIAA1976; UNC5H1 |




[View online »](#)

Product images:


Gel: 6%SDS-PAGE
Lysate: 40 μ g
Lane: Human testis tissue lysate
Primary antibody: TA367836 (UNC5A Antibody) at dilution 1/250
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution
Exposure time: 2 minutes




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA367836 (UNC5A Antibody) at dilution 1/25 (Original magnification: \times 200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA367836 (UNC5A Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA367836 (UNC5A Antibody) at dilution 1/25 (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA367836 (UNC5A Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: $\times 200$)