

## **Product datasheet for TA367870S**

## **BMP2 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Hela, HepG2, 293T cell lysates

IHC: 50-100

Positive control: Human liver cancer Predicted cell location: Secreted

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human BMP2

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 45 kDa

**Gene Name:** bone morphogenetic protein 2

Database Link: Entrez Gene 650 Human

P12643

**Background:** This gene encodes a secreted ligand of the TGF-beta (transforming growth factor-beta)

superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to

recruitment and activation of SMAD family transcription factors that regulate gene

expression. The encoded preproprotein is proteolytically processed to generate each subunit of the disulfide-linked homodimer, which plays a role in bone and cartilage development. Duplication of a regulatory region downstream of this gene causes a form of brachydactyly

characterized by a malformed index finger and second toe in human patients.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms: BMP-2; BMP-2A; BMP2A

## **Product images:**







Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane 1-3: Hela
HepG2
293T cell lysates
Primary antibody: [TA367870] (BMP2 Antibody) at
dilution 1/200
Secondary antibody: Goat anti rabbit IgG at
1/5000 dilution
Exposure time: 1 minute

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA367870] (BMP2 Antibody) at dilution 1/50 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA367870] (BMP2 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA367870] (BMP2 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA367870] (BMP2 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)