

# **Product datasheet for TA367901**

#### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

## **ATP5MJ Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Hela cell, Human heart tissue, 231 cell, Jurkat cell, Human fetal brain

tissue and 293T cell lysates

IHC: 30-150

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

**Clonality:** Polyclonal

Immunogen: Synthetic peptide of human ATP5MPL Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 7 kDa

**Gene Name:** chromosome 14 open reading frame 2

Database Link: Entrez Gene 9556 Human

P56378




#### Background:

Mitochondrial membrane ATP synthase (F1F0 ATP synthase or Complex V) produces ATP from ADP in the presence of a proton gradient across the membrane which is generated by electron transport complexes of the respiratory chain. F-type ATPases consist of two structural domains, F1 - containing the extramembraneous catalytic core and F0 - containing the membrane proton channel, linked together by a central stalk and a peripheral stalk. During catalysis, ATP synthesis in the catalytic domain of F1 is coupled via a rotary mechanism of the central stalk subunits to proton translocation (Probable). Minor subunit required to maintain the ATP synthase population in the mitochondria (PubMed:24330338).

Synonyms: MP68; PLPM


### **Product images:**



Lysate: 40 µg
Lane 1-6: Hela cell□Human heart tissue□231
cell□Jurkat cell□Human fetal brain tissue and
293T cell lysates
Primary antibody: TA367901 (ATP5MPL Antibody)
at dilution 1/400
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution


Gel: 12%SDS-PAGE

Exposure time: 5 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA367901 (ATP5MPL Antibody) at dilution 1/40 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA367901 (ATP5MPL Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA367901 (ATP5MPL Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA367901 (ATP5MPL Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)