

Product datasheet for TA367907

C19orf63 (EMC10) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 25-100 Positive control: Human thyroid cancer Predicted cell location: Cytoplasm and Nucleus
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human EMC10
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Gene Name:	ER membrane protein complex subunit 10
Database Link:	<u>Entrez Gene 284361 Human</u> <u>Q5UCC4</u>

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


C19orf63 (EMC10) Rabbit Polyclonal Antibody – TA367907

Background:EMC10, also known as C19orf63, C19orf63 is a 262 amino acid protein that exists as two
alternatively isoforms and are encoded by a gene located on human chromosome 19.
Chromosome 19 consists of approximately 63 million bases and makes up over 2% of human
genomic DNA. Chromosome 19 includes a diversity of interesting genes and is recognized for
having the greatest gene density of the human chromosomes. It is the genetic home for a
number of immunoglobulin superfamily members including the killer cell and leukocyte Ig-
like receptors, a number of ICAMs, the CEACAM and PSG family, and Fcα receptors. Key genes
for eye color and hair color also map to chromosome 19. Peutz-Jeghers syndrome,
spinocerebellar ataxia type 6, the stroke disorder CADASIL, hypercholesterolemia and insulin-
dependent diabetes have been linked to chromosome 19. Translocations with chromosome
19 and chromosome 14 can be seen in some lymphoproliferative disorders and typically
involve the proto-oncogene BCL3.


Synonyms:

2310044H10Rik; 5430410O10Rik; Inm02

Product images:



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA367907 (EMC10 Antibody) at dilution 1/45 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA367907 (EMC10 Antibody) at dilution 1/45, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA367907 (EMC10 Antibody) at dilution 1/45 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA367907 (EMC10 Antibody) at dilution 1/45, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US