

## **Product datasheet for TA367915**

# Complement C3 (C3) Rabbit Polyclonal Antibody

### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Human liver cancer tissue lysate

IHC: 25-100

Positive control: Human liver cancer

Predicted cell location: Cytoplasm and Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human C3/C3b

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 70 kDa

**Gene Name:** complement component 3

Database Link: Entrez Gene 718 Human

P01024



OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn






#### Background:

Complement component C3 plays a central role in the activation of complement system. Its activation is required for both classical and alternative complement activation pathways. The encoded preproprotein is proteolytically processed to generate alpha and beta subunits that form the mature protein, which is then further processed to generate numerous peptide products. The C3a peptide, also known as the C3a anaphylatoxin, modulates inflammation and possesses antimicrobial activity. Mutations in this gene are associated with atypical hemolytic uremic syndrome and age-related macular degeneration in human patients.

Synonyms: AHUS5; ARMD9; ASP; CPAMD1

# **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Human liver cancer tissue lysate


Primary antibody: TA367915 (C3/C3b Antibody) at

dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA367915 (C3/C3b Antibody) at dilution 1/30 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA367915 (C3/C3b Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA367915 (C3/C3b Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA367915 (C3/C3b Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)