

## **Product datasheet for TA367948S**

## **CCDC85C Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Human breast cancer tissue lysate

IHC: 20-100

Positive control: Human liver cancer Predicted cell location: Cell junction

**Reactivity:** Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human CCDC85CFormulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 45 kDa

**Gene Name:** coiled-coil domain containing 85C

Database Link: Entrez Gene 317762 Human

A6NKD9

**Background:** CCDC85C may play an important role in cortical development, especially in the maintenance

of radial glia.

Synonyms: FLJ22558; MGC117455




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 µg Lane: Human breas


Lane: Human breast cancer tissue lysate Primary antibody: [TA367948] (CCDC85C

Antibody) at dilution 1/250

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 5 minutes



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA367948] (CCDC85C Antibody) at dilution 1/20 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA367948] (CCDC85C Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)