

Product datasheet for TA368021S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cofilin 2 (CFL2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Raji cellaRat skeletal muscle tissue Hela cellaMouse skeletal muscle

tissue and Mouse brain tissue lysates

IHC: 20-100

Positive control: Human liver cancer

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human CFL2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 19 kDa
Gene Name: cofilin 2

Database Link: Entrez Gene 1073 Human

Q9Y281

Background: This gene encodes an intracellular protein that is involved in the regulation of actin-filament

dynamics. This protein is a major component of intranuclear and cytoplasmic actin rods. It can bind G- and F-actin in a 1:1 ratio of cofilin to actin, and it reversibly controls actin polymerization and depolymerization in a pH-dependent manner. Mutations in this gene cause nemaline myopathy type 7, a form of congenital myopathy. Alternative splicing results


in multiple transcript variants.






Synonyms: NEM7

Product images:







Gel: 12%SDS-PAGE
Lysate: 40 µg
Lane 1-5: Raji cell
Rat skeletal muscle tissue
Hela cell
Mouse skeletal muscle tissue and Mouse brain
tissue lysates
Primary antibody: [TA368021] (CFL2 Antibody) at
dilution 1/200
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 20 seconds

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA368021] (CFL2 Antibody) at dilution 1/25 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA368021] (CFL2 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA368021] (CFL2 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA368021] (CFL2 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)