

Product datasheet for TA368078

PRPF8 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela□Raji□K562 and 293T cell lysates

IHC: 20-100

Positive control: Human lung cancer

Predicted cell location: Nucleus or Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human PRPF8

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 274 kDa

Gene Name: pre-mRNA processing factor 8

Database Link: Entrez Gene 10594 Human

Q6P2Q9

Background: Pre-mRNA splicing occurs in 2 sequential transesterification steps. The protein encoded by

this gene is a component of both U2- and U12-dependent spliceosomes, and found to be essential for the catalytic step II in pre-mRNA splicing process. It contains several WD repeats, which function in protein-protein interactions. This protein has a sequence similarity to yeast Prp8 protein. This gene is a candidate gene for autosomal dominant retinitis pigmentosa.

Synonyms: HPRP8; p220; PRP8; PRPC8; RP13




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Gel: 6%SDS-PAGE
Lysate: 40 µg
Lane 1-4: Hela
Raji
K562 and 293T cell lysates
Primary antibody: TA368078 (PRPF8 Antibody) at
dilution 1/450
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 3 minutes




Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA368078 (PRPF8 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA368078 (PRPF8 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA368078 (PRPF8 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA368078 (PRPF8 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)