

Product datasheet for TA368120S

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CNGA4 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Human cerebella tissue and Human cerebrum tissue lysates

IHC: 20-100

Positive control: Human thyroid cancer Predicted cell location: Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human CNGA4

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 66 kDa

Gene Name: cyclic nucleotide gated channel alpha 4

Database Link: Entrez Gene 1262 Human

Q8IV77

Background: Second messenger, cAMP, causes the opening of cation-selective cyclic nucleotide-gated

(CNG) channels and depolarization of the neuron (olfactory sensory neurons, OSNs). CNGA4 is the modulatory subunit of this channel which is known to play a central role in the transduction of odorant signals and subsequent adaptation. By accelerating the calciummediated negative feedback in olfactory signaling it allows rapid adaptation to odor


stimulation and extends its range of odor detection.

Synonyms: CNCA2; CNG-4; CNG4; CNG5; CNGB2; MGC126168; MGC126169; OCNC2; OCNCb; OCNCBETA






Product images:




Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane 1-2: Human cerebella tissue and Human
cerebrum tissue lysates
Primary antibody: [TA368120] (CNGA4 Antibody)
at dilution 1/300
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 5 seconds




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA368120] (CNGA4 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA368120] (CNGA4 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA368120] (CNGA4 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA368120] (CNGA4 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)