

Product datasheet for TA368147S

CYP2A13 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Hela and HEPG2 cell lysates

IHC: 20-100

Positive control: Human esophagus cancer

Predicted cell location: Nucleus

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human CYP2A13Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 57 kDa

Gene Name: cytochrome P450 family 2 subfamily A member 13

Database Link: Entrez Gene 1553 Human

Q16696

Background: This gene encodes a member of the cytochrome P450 superfamily of enzymes. The

cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum. Although its endogenous substrate has not been determined,

it is known to metabolize 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone, a major

nitrosamine specific to tobacco. This gene is part of a large cluster of cytochrome P450 genes

from the CYP2A, CYP2B and CYP2F subfamilies on chromosome 19q.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms: CPAD; CYP2A; CYPIIA13

Product images:






Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-2: Hela and HEPG2 cell lysates Primary antibody: [TA368147] (CYP2A13 Antibody) at dilution 1/350 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 10 seconds

Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA368147] (CYP2A13 Antibody) at dilution 1/20 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA368147] (CYP2A13 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)