

Product datasheet for TA368149

CYP2R1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 20-100

Positive control: Human liver cancer

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human CYP2R1Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: cytochrome P450 family 2 subfamily R member 1

Database Link: Entrez Gene 120227 Human

Q6VVX0

Background: This gene encodes a member of the cytochrome P450 superfamily of enzymes. The

cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This enzyme is a microsomal vitamin D hydroxylase that converts vitamin D into the active ligand for the vitamin D receptor. A mutation in this gene has been associated with selective 25-

hydroxyvitamin D deficiency.

Synonyms: MGC4663




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA368149 (CYP2R1 Antibody) at dilution 1/30 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA368149 (CYP2R1 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA368149 (CYP2R1 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA368149 (CYP2R1 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)