

Product datasheet for TA368335

Filamin C (FLNC) Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: LO2, NIH/3T3, A172 cell lysates IHC: 30-150 Positive control: Human tonsil Predicted cell location: Cytoplasm and Cell membrane
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human FLNC
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	291 kDa
Gene Name:	filamin C
Database Link:	Entrez Gene 2318 Human Q14315
Background:	This gene encodes one of three related filamin genes, specifically gamma filamin. These filamin proteins crosslink actin filaments into orthogonal networks in cortical cytoplasm a participate in the anchoring of membrane proteins for the actin cytoskeleton. Three


filamin proteins crosslink actin filaments into orthogonal networks in cortical cytoplasm and participate in the anchoring of membrane proteins for the actin cytoskeleton. Three functional domains exist in filamin: an N-terminal filamentous actin-binding domain, a Cterminal self-association domain, and a membrane glycoprotein-binding domain. Two transcript variants encoding different isoforms have been found for this gene.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US Synonyms:


ABP-280; ABP-L; ABP280A; ABPA; ABPL; Filamin-2; FLJ10186; FLN2; Gamma-filamin

Product images:



Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-3: LO2 NIH/3T3 A172 cell lysates Primary antibody: TA368335 (FLNC Antibody) at dilution 1/750 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 20 seconds

Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA368335 (FLNC Antibody) at dilution 1/30 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA368335 (FLNC Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US