

Product datasheet for **TA368335S**

Filamin C (FLNC) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: LO2, NIH/3T3, A172 cell lysates IHC: 30-150 Positive control: Human tonsil Predicted cell location: Cytoplasm and Cell membrane
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human FLNC
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	291 kDa
Gene Name:	filamin C
Database Link:	Entrez Gene 2318 Human Q14315


Background: This gene encodes one of three related filamin genes, specifically gamma filamin. These filamin proteins crosslink actin filaments into orthogonal networks in cortical cytoplasm and participate in the anchoring of membrane proteins for the actin cytoskeleton. Three functional domains exist in filamin: an N-terminal filamentous actin-binding domain, a C-terminal self-association domain, and a membrane glycoprotein-binding domain. Two transcript variants encoding different isoforms have been found for this gene.

Synonyms: ABP-280; ABP-L; ABP280A; ABPA; ABPL; Filamin-2; FLJ10186; FLN2; Gamma-filamin




[View online »](#)


Product images:



Gel: 6%SDS-PAGE
Lysate: 40 μ g
Lane 1-3: LO2
NIH/3T3
A172 cell lysates
Primary antibody: [TA368335] (FLNC Antibody) at
dilution 1/750
Secondary antibody: Goat anti rabbit IgG at
1/5000 dilution
Exposure time: 20 seconds



Immunohistochemistry of paraffin-embedded
Human tonsil tissue using [TA368335] (FLNC
Antibody) at dilution 1/30 (Original magnification:
 $\times 200$)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA368335] (FLNC Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)