

### **Product datasheet for TA368341S**

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

#### EU: info-de@origene.com CN: techsupport@origene.cn

# Phospholamban (PLN) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse heart tissue, Human heart tissue, Rat heart tissue lysates

IHC: 25-50

Positive control: Human brain Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human PLN

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 6 kDa

**Gene Name:** phospholamban

Database Link: Entrez Gene 5350 Human

P26678




#### Background:

The protein encoded by this gene is found as a pentamer and is a major substrate for the cAMP-dependent protein kinase in cardiac muscle. The encoded protein is an inhibitor of cardiac muscle sarcoplasmic reticulum Ca(2+)-ATPase in the unphosphorylated state, but inhibition is relieved upon phosphorylation of the protein. The subsequent activation of the Ca(2+) pump leads to enhanced muscle relaxation rates, thereby contributing to the inotropic response elicited in heart by beta-agonists. The encoded protein is a key regulator of cardiac diastolic function. Mutations in this gene are a cause of inherited human dilated cardiomyopathy with refractory congestive heart failure, and also familial hypertrophic cardiomyopathy.

Synonyms:

CMD1P; phospholamban; PLB

# **Product images:**



Gel: 12%SDS-PAGE Lysate: 40 μg

Lane 1-3: Mouse heart tissue

Human heart tissue Rat heart tissue lysates


Primary antibody: [TA368341] (PLN Antibody) at

dilution 1/500

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA368341] (PLN Antibody) at dilution 1/25 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using [TA368341] (PLN Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)