

## **Product datasheet for TA368346S**

## **FUT3 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 40-200

Positive control: Human cervical cancer Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human FUT3

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** fucosyltransferase 3 (Lewis blood group)

**Database Link:** Entrez Gene 2525 Human

P21217

**Background:** The Lewis histo-blood group system comprises a set of fucosylated glycosphingolipids that

are synthesized by exocrine epithelial cells and circulate in body fluids. The

glycosphingolipids function in embryogenesis, tissue differentiation, tumor metastasis, inflammation, and bacterial adhesion. They are secondarily absorbed to red blood cells giving rise to their Lewis phenotype. This gene is a member of the fucosyltransferase family, which catalyzes the addition of fucose to precursor polysaccharides in the last step of Lewis antigen biosynthesis. It encodes an enzyme with alpha(1,3)-fucosyltransferase and alpha(1,4)-

fucosyltransferase activities. Mutations in this gene are responsible for the majority of Lewis antigen-negative phenotypes. Multiple alternatively spliced variants, encoding the same

protein, have been found for this gene.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms:

alpha-(1,3/1,4)-fucosyltransferase; CD174; FT3B; FucT-III; LE; Les; MGC131739

## **Product images:**




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA368346] (FUT3 Antibody) at dilution 1/35 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA368346] (FUT3 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA368346] (FUT3 Antibody) at dilution 1/35 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA368346] (FUT3 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)