

Product datasheet for **TA368480**

ZNF85 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Raji and PC3 cell lysates IHC: 20-100 Positive control: Human thyroid cancer Predicted cell location: Nucleus
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human ZNF85
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	69 kDa
Gene Name:	zinc finger protein 85
Database Link:	Entrez Gene 7639 Human Q03923




[View online »](#)

Background:


Zinc-finger proteins contain DNA-binding domains and have a wide variety of functions, most of which encompass some form of transcriptional activation or repression. The majority of zinc-finger proteins contain a Krüppel-type DNA binding domain and a KRAB domain, which is thought to interact with KAP1, thereby recruiting histone modifying proteins. ZNF85 (Zinc finger protein 85), also known as zinc finger protein HPF4 or HTF1, is a member of the ZNF91 family and is thought to be involved in transcriptional regulation. ZNF85 is highly expressed in testicular tissue and localizes to the nucleus. ZNF85 contains sixteen C2H2-type zinc fingers and one KRAB domain through which it is thought to be involved in DNA-binding and transcriptional regulation.

Synonyms:


HPF4; HTF1; MGC78566

Product images:


Gel: 6%SDS-PAGE
Lysate: 40 µg
Lane 1-2: Raji and PC3 cell lysates
Primary antibody: TA368480 (ZNF85 Antibody) at dilution 1/400
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution
Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA368480 (ZNF85 Antibody) at dilution 1/35 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA368480 (ZNF85 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)