

## **Product datasheet for TA368538**

## **IL1RAPL2** Rabbit Polyclonal Antibody

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 40-200

Positive control: Human lung cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human IL1RAPL2Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** interleukin 1 receptor accessory protein like 2

Database Link: Entrez Gene 26280 Human

Q9NP60

**Background:** The protein encoded by this gene is a member of the interleukin 1 receptor family. This

protein is similar to the interleukin 1 accessory proteins, and is most closely related to

interleukin 1 receptor accessory protein-like 1 (IL1RAPL1). This gene and IL1RAPL1 are located at a region on chromosome X that is associated with X-linked non-syndromic cognitive

disability.

**Synonyms:** IL-1R9; IL1R9; IL1RAPL-2; OTTHUMP00000023775; TIGIRR-1




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA368538 (IL1RAPL2 Antibody) at dilution 1/25 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA368538 (IL1RAPL2 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using TA368538 (IL1RAPL2 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA368538 (IL1RAPL2 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)