

Product datasheet for TA368547S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Inositol Hexakisphosphate Kinase 2 (IP6K2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse brain tissue lysate

IHC: 30-150

Positive control: Human tonsil Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human IP6K2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 49 kDa

Gene Name: inositol hexakisphosphate kinase 2

Database Link: Entrez Gene 51447 Human

Q9UHH9

Background: This gene encodes a protein that belongs to the inositol phosphokinase (IPK) family. This

protein is likely responsible for the conversion of inositol hexakisphosphate (InsP6) to diphosphoinositol pentakisphosphate (InsP7/PP-InsP5). It may also convert 1,3,4,5,6-pentakisphosphate (InsP5) to PP-InsP4 and affect the growth suppressive and apoptotic activities of interferon-beta in some ovarian cancers. Alternative splicing results in multiple


transcript variants encoding different isoforms.

Synonyms: IHPK2; OTTHUMP00000210229; PiUS





Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Mouse brain tissue lysate


Primary antibody: [TA368547] (IP6K2 Antibody) at

dilution 1/500

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA368547] (IP6K2 Antibody) at dilution 1/45 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA368547] (IP6K2 Antibody) at dilution 1/45, treated with synthetic peptide. (Original magnification: ×200)