

## **Product datasheet for TA368564S**

## **IRGC Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 30-150

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human IRGC

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** immunity related GTPase cinema

**Database Link:** Entrez Gene 56269 Human

Q6NXR0

**Background:** Immunity-related GTPases (IRG) (also known as p47 GTPases) are a family of GTPase proteins

found in vertebrates, which play critical roles in mediating innate resistance to intracellular pathogens. IRG genes have been found in a number of mammals and lower species including mice, rats, zebrafish and humans. Most of the mouse genes contain interferon-stimulated response elements which mediate transcriptional activation by IFNs. In humans, only two IRG genes have been found: human IRGC encodes a full-length IRG protein that, like the mouse homologue, is constitutively expressed in testis, while human IRGM encodes a considerably

truncated protein that is constitutively expressed in cultured cells including some

macrophage cell lines. As the two human genes IRGC and IRGM are not subject to IFN control, it has been suggested that the host resistance mechanism supported by IRG proteins in the

mouse is lacking in humans.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms:

CINEMA; ligp5; IRGC1; R30953\_1

## **Product images:**




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA368564] (IRGC Antibody) at dilution 1/30 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA368564] (IRGC Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA368564] (IRGC Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA368564] (IRGC Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)