

# Product datasheet for TA368597

# KAT3A / CBP (CREBBP) Rabbit Polyclonal Antibody

# **Product data:**

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 30-150 Positive control: Human esophagus cancer Predicted cell location: Nucleus or Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human CREBBP
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Gene Name:	CREB binding protein
Database Link:	<u>Entrez Gene 1387 Human</u> <u>Q92793</u>

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


### Section 2017 Contemporary Conte

Background:This gene is ubiquitously expressed and is involved in the transcriptional coactivation of<br/>many different transcription factors. First isolated as a nuclear protein that binds to cAMP-<br/>response element binding protein (CREB), this gene is now known to play critical roles in<br/>embryonic development, growth control, and homeostasis by coupling chromatin remodeling<br/>to transcription factor recognition. The protein encoded by this gene has intrinsic histone<br/>acetyltransferase activity and also acts as a scaffold to stabilize additional protein<br/>interactions with the transcription complex. This protein acetylates both histone and non-<br/>histone proteins. This protein shares regions of very high sequence similarity with protein<br/>p300 in its bromodomain, cysteine-histidine-rich regions, and histone acetyltransferase<br/>domain. Mutations in this gene cause Rubinstein-Taybi syndrome (RTS). Chromosomal<br/>translocations involving this gene have been associated with acute myeloid leukemia.<br/>Alternative splicing results in multiple transcript variants encoding different isoforms.

Synonyms:


CBP; KAT3A; RSTS; RTS

## **Product images:**



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA368597 (CREBBP Antibody) at dilution 1/35 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA368597 (CREBBP Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA368597 (CREBBP Antibody) at dilution 1/35 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA368597 (CREBBP Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US