

Product datasheet for TA368603

KCNIP1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-300

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human KCNIP1Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: potassium voltage-gated channel interacting protein 1

Database Link: Entrez Gene 30820 Human

Q9NZI2

Background: This gene encodes a member of the family of cytosolic voltage-gated potassium (Kv) channel-

interacting proteins (KCNIPs), which belong to the neuronal calcium sensor (NCS) family of the calcium binding EF-hand proteins. They associate with Kv4 alpha subunits to form native Kv4 channel complexes. The encoded protein may regulate rapidly inactivating (A-type) currents, and hence neuronal membrane excitability, in response to changes in the concentration of intracellular calcium. Alternative splicing results in multiple transcript

variants encoding different isoforms.

Synonyms: KCHIP1; MGC95; VABP




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA368603 (KCNIP1 Antibody) at dilution 1/60 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA368603 (KCNIP1 Antibody) at dilution 1/60, treated with synthetic peptide. (Original magnification: ×200)









Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA368603 (KCNIP1 Antibody) at dilution 1/60, treated with synthetic peptide. (Original magnification: ×200)