

Product datasheet for TA368641

Product data:

Product Type: Primary Antibodies

LRP1 Rabbit Polyclonal Antibody

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse brain tissue, Human cerebrum tissue lysates

IHC: 50-200

Positive control: Human colorectal cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human LRP1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year **Predicted Protein Size:** 505 kDa

Gene Name: LDL receptor related protein 1

Database Link: Entrez Gene 4035 Human

Q07954



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

This gene encodes a member of the low-density lipoprotein receptor family of proteins. The encoded preproprotein is proteolytically processed by furin to generate 515 kDa and 85 kDa subunits that form the mature receptor (PMID: 8546712). This receptor is involved in several cellular processes, including intracellular signaling, lipid homeostasis, and clearance of apoptotic cells. In addition, the encoded protein is necessary for the alpha 2-macroglobulin-mediated clearance of secreted amyloid precursor protein and beta-amyloid, the main component of amyloid plaques found in Alzheimer patients. Expression of this gene decreases with age and has been found to be lower than controls in brain tissue from Alzheimer's disease patients.

Synonyms:

A2MR; APOER; APR; CD91; FLJ16451; IGFBP3R; LRP; MGC88725; TGFBR5


Product images:



Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-2: Mouse brain tissue Human cerebrum tissue lysates Primary antibody: TA368641 (LRP1 Antibody) at dilution 1/800 Secondary antibody: Goat anti rabbit IgG at


Exposure time: 10 seconds

1/5000 dilution




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA368641 (LRP1 Antibody) at dilution 1/50 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA368641 (LRP1 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA368641 (LRP1 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA368641 (LRP1 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)