

Product datasheet for TA368647S

HDAC7 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human gastric cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human HDAC7Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: histone deacetylase 7

Database Link: Entrez Gene 51564 Human

Q8WUI4

Background: Histones play a critical role in transcriptional regulation, cell cycle progression, and

developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene has sequence homology to members of the histone deacetylase family. This gene is orthologous to mouse

HDAC7 gene whose protein promotes repression mediated via the transcriptional

corepressor SMRT. Alternatively spliced transcript variants encoding different isoforms have

been found for this gene.

Synonyms: DKFZp586|0917; FL|99588; HD7; HD7A; HDAC7A




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA368647] (HDAC7 Antibody) at dilution 1/65 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA368647] (HDAC7 Antibody) at dilution 1/65, treated with synthetic peptide. (Original magnification: ×200)