

# Product datasheet for TA368649S

# PAX5 Rabbit Polyclonal Antibody

# **Product data:**

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 25-50 Positive control: Human tonsil Predicted cell location: Nucleus
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human PAX5
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Gene Name:	paired box 5
Database Link:	<u>Entrez Gene 5079 Human</u> <u>Q02548</u>

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **PAX5** Rabbit Polyclonal Antibody – TA368649S

Background:This gene encodes a member of the paired box (PAX) family of transcription factors. The<br/>central feature of this gene family is a novel, highly conserved DNA-binding motif, known as<br/>the paired box. Paired box transcription factors are important regulators in early<br/>development, and alterations in the expression of their genes are thought to contribute to<br/>neoplastic transformation. This gene encodes the B-cell lineage specific activator protein that<br/>is expressed at early, but not late stages of B-cell differentiation. Its expression has also been<br/>detected in developing CNS and testis and so the encoded protein may also play a role in<br/>neural development and spermatogenesis. This gene is located at 9p13, which is involved in<br/>t(9;14)(p13;q32) translocations recurring in small lymphocytic lymphomas of the<br/>plasmacytoid subtype, and in derived large-cell lymphomas. This translocation brings the<br/>potent E-mu enhancer of the IgH gene into close proximity of the PAX5 promoter, suggesting<br/>that the deregulation of transcription of this gene contributes to the pathogenesis of these<br/>lymphomas. Alternative splicing results in multiple transcript variants encoding different<br/>isoforms.


Synonyms: BSAP

## **Product images:**



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA368649] (PAX5 Antibody) at dilution 1/35 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA368649] (PAX5 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US