

## **Product datasheet for TA368698**

# OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### **PEX14 Rabbit Polyclonal Antibody**

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: 293T, A431, Hela, NIH/3T3, RAW264.7, C2C12, SKOV3 cell lysates

IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human PEX14

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 41 kDa

**Gene Name:** peroxisomal biogenesis factor 14

Database Link: Entrez Gene 5195 Human

<u>075381</u>

**Background:** This gene encodes an essential component of the peroxisomal import machinery. The

protein is integrated into peroxisome membranes with its C-terminus exposed to the cytosol, and interacts with the cytosolic receptor for proteins containing a PTS1 peroxisomal targeting


signal. The protein also functions as a transcriptional corepressor and interacts with a histone deacetylase. A mutation in this gene results in one form of Zellweger syndrome.


**Synonyms:** dJ734G22.2; MGC12767; NAPP2; peroxin-14; Pex14p





# **Product images:**







Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane 1-7: 293T
A431
Hela
NIH/3T3
RAW264.7
C2C12
SKOV3 cell lysates
Primary antibody: TA368698 (PEX14 Antibody) at dilution 1/200
Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution
Exposure time: 15 seconds

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA368698 (PEX14 Antibody) at dilution 1/50 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA368698 (PEX14 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA368698 (PEX14 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA368698 (PEX14 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)