

## Product datasheet for TA368702S

## Phone: +1-888-267-4436 https://www.origene.com

Rockville, MD 20850, US

techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

## GABA A Receptor alpha 3 (GABRA3) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type: Primary Antibodies** 

IHC **Applications:** 

Recommended Dilution: IHC: 50-200

Positive control: Human thyroid cancer

Predicted cell location: Cytoplasm and Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: lgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human GABRA3 Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Store at -20°C. Storage:

Stability: 1 year

Gene Name: gamma-aminobutyric acid type A receptor alpha3 subunit

Database Link: Entrez Gene 2556 Human

P34903

Background: GABA is the major inhibitory neurotransmitter in the mammalian brain where it acts at GABA-

> A receptors, which are ligand-gated chloride channels. Chloride conductance of these channels can be modulated by agents such as benzodiazepines that bind to the GABA-A


receptor. At least 16 distinct subunits of GABA-A receptors have been identified.

MGC33793; OTTHUMP00000025898 Synonyms:






## **Product images:**




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA368702] (GABRA3 Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA368702] (GABRA3 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA368702] (GABRA3 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA368702] (GABRA3 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)