

Product datasheet for TA368747S

AMACR Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: Jurkat cells IHC: 25-100 Positive control: Human liver cancer Predicted cell location: Cytoplasm
Reactivity:	Human
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human AMACR
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	42 kDa
Gene Name:	alpha-methylacyl-CoA racemase
Database Link:	<u>Entrez Gene 23600 Human Q9UHK6</u>

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

MACR Rabbit Polyclonal Antibody – TA368747S


Background:This gene encodes a racemase. The encoded enzyme interconverts pristanoyl-CoA and C27-
bile acylCoAs between their (R)- and (S)-stereoisomers. The conversion to the (S)-
stereoisomers is necessary for degradation of these substrates by peroxisomal beta-
oxidation. Encoded proteins from this locus localize to both mitochondria and peroxisomes.
Mutations in this gene may be associated with adult-onset sensorimotor neuropathy,
pigmentary retinopathy, and adrenomyeloneuropathy due to defects in bile acid synthesis.
Alternatively spliced transcript variants have been described. Read-through transcription also
exists between this gene and the upstream neighboring C1QTNF3 (C1q and tumor necrosis
factor related protein 3) gene.

Synonyms: CBAS4; RACE; RM

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane: Jurkat cells Primary antibody: [TA368747] (AMACR Antibody) at dilution 1/350 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 20 seconds



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA368747] (AMACR Antibody) at dilution 1/30 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA368747] (AMACR Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA368747] (AMACR Antibody) at dilution 1/30 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA368747] (AMACR Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US