

Product datasheet for TA368781

CLEC1B Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human colorectal cancer

Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human CLEC1B

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: C-type lectin domain family 1 member B

Database Link: Entrez Gene 51266 Human

Q9P126

Background: Natural killer (NK) cells express multiple calcium-dependent (C-type) lectin-like receptors,

such as CD94 (KLRD1; MIM 602894) and NKG2D (KLRC4; MIM 602893), that interact with major histocompatibility complex class I molecules and either inhibit or activate cytotoxicity and cytokine secretion. CLEC2 is a C-type lectin-like receptor expressed in myeloid cells and

NK cells (Colonna et al., 2000 [PubMed 10671229]).

Synonyms: 1810061I13Rik; CLEC-2; CLEC2; CLEC2B; PRO1384; QDED721




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA368781 (CLEC1B Antibody) at dilution 1/60 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA368781 (CLEC1B Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA368781 (CLEC1B Antibody) at dilution 1/60 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA368781 (CLEC1B Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)