

## **Product datasheet for TA368784S**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

## Collagen II (COL2A1) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: C2C12 cell, Rat skeletal muscle tissue lysates

IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Secreted

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human COL2A1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 142 kDa

Gene Name: collagen type II alpha 1 chain

Database Link: Entrez Gene 1280 Human

P02458

Background: This gene encodes the alpha-1 chain of type II collagen, a fibrillar collagen found in cartilage

and the vitreous humor of the eye. Mutations in this gene are associated with

achondrogenesis, chondrodysplasia, early onset familial osteoarthritis, SED congenita, Langer-Saldino achondrogenesis, Kniest dysplasia, Stickler syndrome type I, and spondyloepimetaphyseal dysplasia Strudwick type. In addition, defects in processing chondrocalcin, a calcium binding protein that is the C-propeptide of this collagen molecule,

are also associated with chondrodysplasia. There are two transcripts identified for this gene.






Synonyms:

ANFH; AOM; chondrocalcin; COL11A3; MGC131516; SEDC

## **Product images:**



Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-2: C2C12 cell Rat skeletal muscle tissue lysates


Primary antibody: [TA368784] (COL2A1 Antibody)

at dilution 1/700

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 5 minutes




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA368784] (COL2A1 Antibody) at dilution 1/60 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA368784] (COL2A1 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA368784] (COL2A1 Antibody) at dilution 1/60 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA368784] (COL2A1 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)