

Product datasheet for TA368909S

Fetuin A (AHSG) Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type: | Primary Antibodies |
|-------------------------|--|
| Applications: | IHC, WB |
| Recommended Dilution: | WB: 1000-5000 WB positive control: Human plasma tissue IHC: 50-200 Positive control: Human thyroid cancer Predicted cell location: Cytoplasm |
| Reactivity: | Human |
| Host: | Rabbit |
| lsotype: | IgG |
| Clonality: | Polyclonal |
| Immunogen: | Fusion protein of human AHSG |
| Formulation: | pH7.4 PBS, 0.05% NaN3, 40% Glycerol |
| Purification: | Antigen affinity purification |
| Conjugation: | Unconjugated |
| Storage: | Store at -20°C. |
| Stability: | 1 year |
| Predicted Protein Size: | 39 kDa |
| Gene Name: | alpha 2-HS glycoprotein |
| Database Link: | <u>Entrez Gene 197 Human</u> <u>P02765</u> |
| Background: | Alpha2-HS glycoprotein (AHSG), a glycoprotein present in the serum, is synthesized by hepatocytes. The AHSG molecule consists of two polypeptide chains, which are both cleaved from a proprotein encoded from a single mRNA. It is involved in several functions, such as endocytosis, brain development and the formation of bone tissue. The protein is commonly present in the cortical plate of the immature cerebral cortex and bone marrow hemopoietic matrix, and it has therefore been postulated that it participates in the development of the |

tissues. However, its exact significance is still obscure.



View online »


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

PORIGENE Fetuin A (AHSG) Rabbit Polyclonal Antibody – TA368909S


Synonyms:

A2HS; AHS; alpha-2-HS-glycoprotein; Alpha-2-Z-globulin; Ba-alpha-2-glycoprotein; FETUA; Fetuin-A; HSGA


Product images:



Gel: 10%SDS-PAGE Lysate: 2 µg Lane: Human plasma tissue Primary antibody: [TA368909] (AHSG Antibody) at dilution 1/1350 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA368909] (AHSG Antibody) at dilution 1/60 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA368909] (AHSG Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human brain tissue using [TA368909] (AHSG Antibody) at dilution 1/60 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human brain tissue using [TA368909] (AHSG Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US