

# Product datasheet for TA368940S

# **TLR2 Rabbit Polyclonal Antibody**

# **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Mouse brain tissue lysate IHC: 50-100 Positive control: Human cervical cancer Predicted cell location: Cytoplasm and Cell membrane
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human TLR2
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	90 kDa
Gene Name:	toll like receptor 2
Database Link:	<u>Entrez Gene 7097 Human</u> <u>O60603</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## **GRIGENE** TLR2 Rabbit Polyclonal Antibody – TA368940S


Background:The protein encoded by this gene is a member of the Toll-like receptor (TLR) family which<br/>plays a fundamental role in pathogen recognition and activation of innate immunity. TLRs are<br/>highly conserved from Drosophila to humans and share structural and functional similarities.<br/>This protein is a cell-surface protein that can form heterodimers with other TLR family<br/>members to recognize conserved molecules derived from microorganisms known as<br/>pathogen-associated molecular patterns (PAMPs). Activation of TLRs by PAMPs leads to an<br/>up-regulation of signaling pathways to modulate the host's inflammatory response. This gene<br/>is also thought to promote apoptosis in response to bacterial lipoproteins. This gene has<br/>been implicated in the pathogenesis of several autoimmune diseases. Alternative splicing<br/>results in multiple transcript variants.

Synonyms: CD282; TIL4

### **Product images:**




Gel: 8%SDS-PAGE Lysate: 40 µg Lane: Mouse brain tissue lysate Primary antibody: [TA368940] (TLR2 Antibody) at dilution 1/500 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA368940] (TLR2 Antibody) at dilution 1/60 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA368940] (TLR2 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US