

Product datasheet for TA368964

STK40 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human thyroid cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human STK40

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: serine/threonine kinase 40

Database Link: Entrez Gene 83931 Human

Q8N2I9

Background: STK40 (Serine/threonine-protein kinase 40), also known as Sugen kinase 495, is a 435 amino

acid protein kinase that may be a negative regulator of NFkB and p53-mediated gene expression. Localized to both the cytoplasm and the nucleus, STK40 is ubiquitously

expressed. STK40 has a central serine/threonine protein kinase domain and is homologous to TRB-3, a protein that regulates activation of MAP kinases and inhibits NFkB-mediated gene transcription. Similarly, overexpression of STK40 inhibits NFkB activation triggered by TNF and also inhibits p53-mediated transcription. There are four named isoforms of STK40 that

are produced as a result of alternative splicing.

Synonyms: 2310004N11Rik; MGC4796; RP11-268J15.4; SgK495; SHIK




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA368964 (STK40 Antibody) at dilution 1/40 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA368964 (STK40 Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA368964 (STK40 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA368964 (STK40 Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)