

## **Product datasheet for TA369034**

## **CDR2 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human CDR2

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** cerebellar degeneration related protein 2

Database Link: Entrez Gene 1039 Human

Q01850

Background: CDR2 (cerebellar degeneration-related protein 2), also referred to as Yo or CDR62, is a 545

amino acid protein that is associated with the development of paraneoplastic cerebellar degeneration (PCD). PCD, an immune-mediated syndrome, belongs to a heterogeneous group of rare paraneoplastic neurologic disorders affecting the neurological system. PCD is characterized by subacute cerebellar ataxia and occurs mainly in patients with ovarian,

uterine, fallopian tube or breast cancer.

**Synonyms:** CDR62; PCD17; Yo




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA369034 (CDR2 Antibody) at dilution 1/30 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA369034 (CDR2 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA369034 (CDR2 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA369034 (CDR2 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)