

Product datasheet for TA369080

DDX43 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: HepG2 cells

IHC: 50-200

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human DDX43

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 73 kDa

Gene Name: DEAD-box helicase 43

Database Link: Entrez Gene 55510 Human

Q9NXZ2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn






Background:

DEAD-box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp, are putative RNA helicases implicated in several cellular processes involving modifications of RNA secondary structure and ribosome/spliceosome assembly. Based on their distribution patterns, some members of this family may be involved in embryogenesis, spermatogenesis and cellular growth and division. DDX43 (DEAD (Asp-Glu-Ala-Asp) box polypeptide 43), also known as CT13 or HAGE, is a 648 amino acid protein that contains one KH domain, one helicase C-terminal domain and one helicase ATP-binding domain and belongs to the DEAD-box family. Expressed in testis and present at abnormally high levels in a variety of tumors, DDX43 is thought to function as an ATP-dependent RNA helicase that may play a role tumor transformation and metastasis.

Synonyms: CT13; DKFZp434H2114; HAGE

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg Lane: HepG2 cells


Primary antibody: TA369080 (DDX43 Antibody) at

dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 3 minutes




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA369080 (DDX43 Antibody) at dilution 1/40 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA369080 (DDX43 Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA369080 (DDX43 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA369080 (DDX43 Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)