

### **Product datasheet for TA369246S**

# Product data:

**Product Type:** Primary Antibodies

**NUP62 Rabbit Polyclonal Antibody** 

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Jurkat cells and human brain malignant glioma tissue, PC3, K562 and

A549 cells IHC: 50-200

Positive control: Human liver cancer

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human NUP62

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 53 kDa

**Gene Name:** nucleoporin 62kDa

**Database Link:** Entrez Gene 23636 Human

P37198



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




#### Background:

The nuclear pore complex is a massive structure that extends across the nuclear envelope, forming a gateway that regulates the flow of macromolecules between the nucleus and the cytoplasm. Nucleoporins are the main components of the nuclear pore complex in eukaryotic cells. The protein encoded by this gene is a member of the FG-repeat containing nucleoporins and is localized to the nuclear pore central plug. This protein associates with the importin alpha/beta complex which is involved in the import of proteins containing nuclear localization signals. Multiple transcript variants of this gene encode a single protein isoform.

Synonyms:

DKFZp547L134; FLJ20822; FLJ43869; IBSN; MGC841; p62; SNDI

# **Product images:**






Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane 1-5: Jurkat cells
human brain malignant glioma tissue
PC3 cells
K562 cells
A549 cells
Primary antibody: [TA369246] (NUP62 Antibody)
at dilution 1/300
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 5 seconds

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA369246] (NUP62 Antibody) at dilution 1/40 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA369246] (NUP62 Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)