

Product datasheet for TA369268S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PGAM2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: 293T cell, Human heart tissue, HepG2 cell, Jurkat and NIH/3T3 cell lysates

IHC: 100-300

Positive control: Human prostate cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human PGAM2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 29 kDa

Gene Name: phosphoglycerate mutase 2

Database Link: Entrez Gene 5224 Human

P15259

Background: Phosphoglycerate mutase (PGAM) catalyzes the reversible reaction of 3-phosphoglycerate (3-

PGA) to 2-phosphoglycerate (2-PGA) in the glycolytic pathway. The PGAM is a dimeric enzyme


containing, in different tissues, different proportions of a slow-migrating muscle (MM) isozyme, a fast-migrating brain (BB) isozyme, and a hybrid form (MB). This gene encodes muscle-specific PGAM subunit. Mutations in this gene cause muscle phosphoglycerate mutase eficiency, also known as glycogen storage disease X. [provided by RefSeq, Sep 2009]


Synonyms: GSD10; MGC88743; PGAM-M; PGAMM






Product images:








Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA369268] (PGAM2 Antibody) at dilution 1/120 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA369268] (PGAM2 Antibody) at dilution 1/120, treated with fusion protein. (Original magnification: ×200)