

# Product datasheet for TA369346S

# SHIP (INPP5D) Rabbit Polyclonal Antibody

### **Product data:**

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type:         | Primary Antibodies  |
|-----------------------|---|
| Applications:         | IHC   |
| Recommended Dilution: | IHC: 200-300<br>Positive control: Human esophagus cancer<br>Predicted cell location: Cytoplasm  |
| Reactivity:           | Human   |
| Host:                 | Rabbit  |
| lsotype:              | IgG   |
| Clonality:            | Polyclonal  |
| Immunogen:            | Fusion protein of human INPP5D  |
| Formulation:          | pH7.4 PBS, 0.05% NaN3, 40% Glycerol   |
| Purification:         | Antigen affinity purification   |
| Conjugation:          | Unconjugated  |
| Storage:              | Store at -20°C.   |
| Stability:            | 1 year  |
| Gene Name:            | inositol polyphosphate-5-phosphatase D  |
| Database Link:        | <u>Entrez Gene 3635 Human</u><br><u>Q92835</u>  |
| Background:           | This gene is a member of the inositol polyphosphate-5-phosphatase (INPP5) family and<br>encodes a protein with an N-terminal SH2 domain, an inositol phosphatase domain, and two<br>C-terminal protein interaction domains. Expression of this protein is restricted to<br>hematopoietic cells where its movement from the cytosol to the plasma membrane is<br>mediated by tyrosine phosphorylation. At the plasma membrane, the protein hydrolyzes the<br>5' phosphate from phosphatidylinositol (3,4,5)-trisphosphate and inositol-1,3,4,5-<br>tetrakisphosphate, thereby affecting multiple signaling pathways. The protein is also partly<br>localized to the nucleus, where it may be involved in nuclear inositol phosphate signaling<br>processes. Overall, the protein functions as a negative regulator of myeloid cell proliferation<br>and survival. Mutations in this gene are associated with defects and cancers of the immune<br>system. Alternative splicing of this gene results in multiple transcript variants. |




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US SHIP (INPP5D) Rabbit Polyclonal Antibody – TA369346S

Synonyms:

#### hp51CN; MGC104855; MGC142140; MGC142142; p150Ship; SHIP; SHIP-1; SHIP1; SIP-145


# **Product images:**



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA369346] (INPP5D Antibody) at dilution 1/160 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA369346] (INPP5D Antibody) at dilution 1/160, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA369346] (INPP5D Antibody) at dilution 1/160 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA369346] (INPP5D Antibody) at dilution 1/160, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US