

# **Product datasheet for TA369385**

### Syntaxin 18 (STX18) Rabbit Polyclonal Antibody

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: Raw264.7 and TM4 cells IHC: 25-100 Positive control: Human liver cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human STX18
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	39 kDa
Gene Name:	syntaxin 18
Database Link:	<u>Entrez Gene 53407 Human</u> <u>Q9P2W9</u>
Background:	Syntaxins, a family of proteins involved in the fusion of synaptic vesicles with the plasma membrane, display broad tissue distribution and contain carboxy-terminal hydrophobic domains that direct themselves to their respective intracellular compartments. Syntaxin 18 mainly localizes to the endoplasmic reticulum (ER), and functions in transport between the ER



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


and Golgi. Syntaxin 18 also plays a role in ER-mediated phagocytosis, possibly by regulating

the specific fusion of the ER and plasma or phagosomal membranes.


Synonyms:

DKFZp686O15149; Ufe1

## **Product images:**




Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-2: Raw264.7 TM4 cells Primary antibody: TA369385 (STX18 Antibody) at dilution 1/350 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 20 seconds



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA369385 (STX18 Antibody) at dilution 1/20 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA369385 (STX18 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA369385 (STX18 Antibody) at dilution 1/20 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA369385 (STX18 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US