

Product datasheet for TA369503S

ZCCHC9 Rabbit Polyclonal Antibody

Product data:

| Product Type: | Primary Antibodies |
|-----------------------|--|
| Applications: | IHC |
| Recommended Dilution: | IHC: 25-100 Positive control: Human brain Predicted cell location: Cytoplasm |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| lsotype: | IgG |
| Clonality: | Polyclonal |
| Immunogen: | Fusion protein of human ZCCHC9 |
| Formulation: | pH7.4 PBS, 0.05% NaN3, 40% Glycerol |
| Purification: | Antigen affinity purification |
| Conjugation: | Unconjugated |
| Storage: | Store at -20°C. |
| Stability: | 1 year |
| Gene Name: | zinc finger CCHC-type containing 9 |
| Database Link: | <u>Entrez Gene 84240 Human</u> <u>Q8N567</u> |

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


CRIGENE ZCCHC9 Rabbit Polyclonal Antibody – TA369503S

Background:Zinc-finger proteins contain DNA-binding domains and have a wide variety of functions, most
of which encompass some form of transcriptional activation or repression. ZCCHC9 (zinc
finger, CCHC domain containing 9) is a 271 amino acid protein that contains four CCHC-type
zinc finger, suggesting a role in transcriptional regulation. The gene encoding ZCCHC9 maps
to human chromosome 5, which contains 181 million base pairs and comprises nearly 6% of
the human genome. Chromosome 5 is associated with Cockayne syndrome through the
ERCC8 gene and familial adenomatous polyposis through the adenomatous polyposis coli
(APC) tumor suppressor gene. Treacher Collins syndrome is also chromosome 5-associated
and is caused by insertions or deletions within the TCOF1 gene. Deletion of the p arm of
chromosome 5 leads to Cri du chat syndrome, while deletion of the q arm or of chromosome
5 altogether is common in therapy-related acute myelogenous leukemias and
myelodysplastic syndrome.

Synonyms:


DKFZp761J139; OTTHUMP00000147543

Product images:



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA369503] (ZCCHC9 Antibody) at dilution 1/30 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA369503] (ZCCHC9 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US